PAIN

Pain 116 (2005) 420–422

www.elsevier.com/locate/pain

Author Index to Volume 116 (2005)

Albuisson, E., see Woda, A., **116** 396
Alexander, G.M., van Rijn, M.A., van Hilten, J.J., Perreault, M.J., Schwartzman, R.J., Changes in cerebrospinal fluid levels of pro-inflammatory cytokines in CRPS, **116** 213
Altmaier, E.M., see Rippentrop, A.E., **116** 311
Arbilly, M., see Devor, M., **116** 289
Asai, H., see Shinoda, M., **116** 42
Attal, N., see Woda, A., **116** 396
Axenborg, J., see Tammpere, A., **116** 220

Baad-Hansen, L., Poulsen, H.F., Jensen, H.M., Svensson, P., Lack of sex differences in modulation of experimental intraoral pain by diffuse noxious inhibitory controls (DNIC), **116** 359
Baar, C., see Rakvåg, T.T., **116** 73
Baumgärtner, U., Cruccu, G., Iannetti, G.D., Treede, R.-D., Laser guns and hot plates, **116** 1
Blackburn-Munro, G., see Erichsen, H.K., **116** 347
Bodéré, C., Téa, S.H., Giroux-Metges, M.A., Woda, A., Activity of masticatory muscles in subjects with different orofacial pain conditions, **116** 33
Bouhassira, D., see Woda, A., **116** 396
Bowsher, D., Dynamic mechanical allodynia in neuropathic pain, **116** 164
Brain, C., see Dyson, A., **116** 129
Brusberg, M., see Tammpere, A., **116** 220
Buchanan, D.A., see Williamson, O.D., **116** 169
Butler, S.H., Primum non nocere—first do no harm, **116** 175

Campbell, C.M., see Hastie, B.A., **116** 227
Carli, G., see Jambrik, Z., **116** 181
Castro-Lopes, J., see Cruz, C.D., **116** 411
Caterina, M.J., see Shimizu, I., **116** 96
Caudill-Slosberg, M., see Kerns, R.D., **116** 302
Caudle, R.M., see Neubert, J.K., **116** 386
Chen, A., see Dyson, A., **116** 129
Chen, J.J., see Rippentrop, A.E., **116** 311
Chung, J.M., see Gao, X., **116** 62
Chung, K., see Gao, X., **116** 62
Clark, A.J., see Lynch, M.E., **116** 171
Cockayne, D.A., see Shimizu, I., **116** 96
Cohen, M.L., see Williamson, O.D., **116** 169
Colleoni, M., see Costa, B., **116** 52
Costa, B., Trovato, A.E., Colleoni, M., Giagnoni, G., Zarini, E., Croci, T., Effect of the cannabinoid CB_1 receptor antagonist, SR141716, on nociceptive response and nerve demyelination in rodents with chronic constriction injury of the sciatic nerve, **116** 52
Côté, D., see Truchon, M., **116** 205
Courade, J.-P., see Dyson, A., **116** 129
Croci, T., see Costa, B., **116** 52
Crombez, G., Van Damme, S., Eccleston, C., Hypervigilance to pain: An experimental and clinical analysis, **116** 4
Cruccu, G., see Baumgärtner, U., **116** 1
Cruz, C.D., Neto, F.L., Castro-Lopes, J., McMahon, S.B., Cruz, F., Inhibition of ERK phosphorylation decreases nociceptive behaviour in monoarthritic rats, **116** 411
Cruz, F., see Cruz, C.D., **116** 411
Cuypers, C., see de Jong, J.R., **116** 264

Dale, O., see Rakvåg, T.T., **116** 73
Darvasi, A., see Devor, M., **116** 289
de Jong, J.R., Vlaeyen, J.W.S., Onghena, P., Cuypers, C., den Hollander, M., Ruijgrok, J., Reduction of pain-related fear in complex regional pain syndrome type I: The application of graded exposure in vivo, **116** 264
del Canho, S., see Devor, M., **116** 294
den Hollander, M., see de Jong, J.R., **116** 264
Detke, M.J., see Goldstein, D.J., **116** 109
Deutz, J., see Roelofs, J., **116** 339
Devor, M., del Canho, S., Raber, P., Heritability of symptoms in the neuroma model of neuropathic pain: Replication and complementation analysis, **116** 294
Devor, M., Gilad, A., Arbilly, M., Yakir, B., Raber, P., Pisanté, A., Darvasi, A., *pain1:* A neuropathic pain QTL on mouse chromosome 15 in a C3H × C58 backcross, **116** 289
Duan, J.-H., see Yang, R.-H., **116** 187
Dyson, A., Peacock, M., Chen, A., Courade, J.-P., Yaqoob, M., Groarke, A., Brain, C., Loong, Y., Fox, A., Antihyperalgesic properties of the cannabinoid CT-3 in chronic neuropathic and inflammatory pain states in the rat, **116** 129

Eccleston, C., see Crombez, G., **116** 4
Edwards, J.E., see Moore, R.A., **116** 322
Erichsen, H.K., Hao, J.-X., Xu, X.-J., Blackburn-Munro, G., Comparative actions of the opioid analgesics morphine, methadone and codeine in rat models of peripheral and central neuropathic pain, **116** 347

Falla, D., Farina, D., Muscle fiber conduction velocity of the upper trapezius muscle during dynamic contraction of the upper limb in patients with chronic neck pain, **116** 138
Farina, D., see Falla, D., **116** 138
Felson, D.T., see Leveille, S.G., **116** 332
Fillingim, R.B., see Hastie, B.A., **116** 227
Fleiter, B., see Woda, A., **116** 396
Forster, T., see Jambrik, Z., **116** 181
Found, E.M., see Rippentrop, A.E., **116** 311
Fox, A., see Dyson, A., **116** 129

Gan, Q., see Song, X.-J., **116** 169
Gao, X., Kim, H.K., Chung, J.M., Chung, K., Enhancement of NMDA receptor phosphorylation of the spinal dorsal horn and nucleus gracilis neurons in neuropathic rats, **116** 62
Gardell, L.R., see King, T., **116** 276
Gaul, C., Neundörfer, B., Winterholler, M., Iatrogenic (para-) spinal abscesses and meningitis following injection therapy for low back pain, **116** 407
Geisslinger, G., see Skarke, C., **116** 177
Giagnoni, G., see Costa, B., **116** 52
Gilad, A., see Devor, M., **116** 289
Giroux-Metges, M.A., see Bodéré, C., **116** 33

doi:10.1016/S0304-3959(05)00313-1

PAIN

Pain 116 (2005) 420–422

www.elsevier.com/locate/pain

Author Index to Volume 116 (2005)

Albuisson, E., see Woda, A., **116** 396
Alexander, G.M., van Rijn, M.A., van Hilten, J.J., Perreault, M.J., Schwartzman, R.J., Changes in cerebrospinal fluid levels of pro-inflammatory cytokines in CRPS, **116** 213
Altmaier, E.M., see Rippentrop, A.E., **116** 311
Arbilly, M., see Devor, M., **116** 289
Asai, H., see Shinoda, M., **116** 42
Attal, N., see Woda, A., **116** 396
Axenborg, J., see Tammpere, A., **116** 220

Baad-Hansen, L., Poulsen, H.F., Jensen, H.M., Svensson, P., Lack of sex differences in modulation of experimental intraoral pain by diffuse noxious inhibitory controls (DNIC), **116** 359
Baar, C., see Rakvåg, T.T., **116** 73
Baumgärtner, U., Cruccu, G., Iannetti, G.D., Treede, R.-D., Laser guns and hot plates, **116** 1
Blackburn-Munro, G., see Erichsen, H.K., **116** 347
Bodéré, C., Téa, S.H., Giroux-Metges, M.A., Woda, A., Activity of masticatory muscles in subjects with different orofacial pain conditions, **116** 33
Bouhassira, D., see Woda, A., **116** 396
Bowsher, D., Dynamic mechanical allodynia in neuropathic pain, **116** 164
Brain, C., see Dyson, A., **116** 129
Brusberg, M., see Tammpere, A., **116** 220
Buchanan, D.A., see Williamson, O.D., **116** 169
Butler, S.H., Primum non nocere—first do no harm, **116** 175

Campbell, C.M., see Hastie, B.A., **116** 227
Carli, G., see Jambrik, Z., **116** 181
Castro-Lopes, J., see Cruz, C.D., **116** 411
Caterina, M.J., see Shimizu, I., **116** 96
Caudill-Slosberg, M., see Kerns, R.D., **116** 302
Caudle, R.M., see Neubert, J.K., **116** 386
Chen, A., see Dyson, A., **116** 129
Chen, J.J., see Rippentrop, A.E., **116** 311
Chung, J.M., see Gao, X., **116** 62
Chung, K., see Gao, X., **116** 62
Clark, A.J., see Lynch, M.E., **116** 171
Cockayne, D.A., see Shimizu, I., **116** 96
Cohen, M.L., see Williamson, O.D., **116** 169
Colleoni, M., see Costa, B., **116** 52
Costa, B., Trovato, A.E., Colleoni, M., Giagnoni, G., Zarini, E., Croci, T., Effect of the cannabinoid CB_1 receptor antagonist, SR141716, on nociceptive response and nerve demyelination in rodents with chronic constriction injury of the sciatic nerve, **116** 52
Côté, D., see Truchon, M., **116** 205
Courade, J.-P., see Dyson, A., **116** 129
Croci, T., see Costa, B., **116** 52
Crombez, G., Van Damme, S., Eccleston, C., Hypervigilance to pain: An experimental and clinical analysis, **116** 4
Cruccu, G., see Baumgärtner, U., **116** 1
Cruz, C.D., Neto, F.L., Castro-Lopes, J., McMahon, S.B., Cruz, F., Inhibition of ERK phosphorylation decreases nociceptive behaviour in monoarthritic rats, **116** 411
Cruz, F., see Cruz, C.D., **116** 411
Cuypers, C., see de Jong, J.R., **116** 264

Dale, O., see Rakvåg, T.T., **116** 73
Darvasi, A., see Devor, M., **116** 289
de Jong, J.R., Vlaeyen, J.W.S., Onghena, P., Cuypers, C., den Hollander, M., Ruijgrok, J., Reduction of pain-related fear in complex regional pain syndrome type I: The application of graded exposure in vivo, **116** 264
del Canho, S., see Devor, M., **116** 294
den Hollander, M., see de Jong, J.R., **116** 264
Detke, M.J., see Goldstein, D.J., **116** 109
Deutz, J., see Roelofs, J., **116** 339
Devor, M., del Canho, S., Raber, P., Heritability of symptoms in the neuroma model of neuropathic pain: Replication and complementation analysis, **116** 294
Devor, M., Gilad, A., Arbilly, M., Yakir, B., Raber, P., Pisanté, A., Darvasi, A., *pain1:* A neuropathic pain QTL on mouse chromosome 15 in a C3H × C58 backcross, **116** 289
Duan, J.-H., see Yang, R.-H., **116** 187
Dyson, A., Peacock, M., Chen, A., Courade, J.-P., Yaqoob, M., Groarke, A., Brain, C., Loong, Y., Fox, A., Antihyperalgesic properties of the cannabinoid CT-3 in chronic neuropathic and inflammatory pain states in the rat, **116** 129

Eccleston, C., see Crombez, G., **116** 4
Edwards, J.E., see Moore, R.A., **116** 322
Erichsen, H.K., Hao, J.-X., Xu, X.-J., Blackburn-Munro, G., Comparative actions of the opioid analgesics morphine, methadone and codeine in rat models of peripheral and central neuropathic pain, **116** 347

Falla, D., Farina, D., Muscle fiber conduction velocity of the upper trapezius muscle during dynamic contraction of the upper limb in patients with chronic neck pain, **116** 138
Farina, D., see Falla, D., **116** 138
Felson, D.T., see Leveille, S.G., **116** 332
Fillingim, R.B., see Hastie, B.A., **116** 227
Fleiter, B., see Woda, A., **116** 396
Forster, T., see Jambrik, Z., **116** 181
Found, E.M., see Rippentrop, A.E., **116** 311
Fox, A., see Dyson, A., **116** 129

Gan, Q., see Song, X.-J., **116** 169
Gao, X., Kim, H.K., Chung, J.M., Chung, K., Enhancement of NMDA receptor phosphorylation of the spinal dorsal horn and nucleus gracilis neurons in neuropathic rats, **116** 62
Gardell, L.R., see King, T., **116** 276
Gaul, C., Neundörfer, B., Winterholler, M., Iatrogenic (para-) spinal abscesses and meningitis following injection therapy for low back pain, **116** 407
Geisslinger, G., see Skarke, C., **116** 177
Giagnoni, G., see Costa, B., **116** 52
Gilad, A., see Devor, M., **116** 289
Giroux-Metges, M.A., see Bodéré, C., **116** 33

doi:10.1016/S0304-3959(05)00313-1

Glover, T., see Hastie, B.A., **116** 227
Goldstein, D.J., Lu, Y., Detke, M.J., Lee, T.C., Iyengar, S., Duloxetine vs. placebo in patients with painful diabetic neuropathy, **116** 109
Goulet, J.-P., see Woda, A., **116** 396
Green, P.G., see Khasar, S.G., **116** 79
Gremeau-Richard, C., see Woda, A., **116** 396
Groarke, A., see Dyson, A., **116** 129
Guan, Y., see Shimizu, I., **116** 96
Gupta, V.K., Botulinum toxin type A therapy for chronic tension-type headache: Fact versus fiction, **116** 166

Hamunen, K., Kalso, E., A systematic review of trial methodology, using the placebo groups of randomized controlled trials in paediatric post-operative pain, **116** 146
Haninec, P., see Tomáš, R., **116** 159
Hao, J.-X., see Erichsen, H.K., **116** 347
Hastie, B.A., Riley III, J.L., Robinson, M.E., Glover, T., Campbell, C.M., Staud, R., Fillingim, R.B., Cluster analysis of multiple experimental pain modalities, **116** 227
Haythornthwaite, J., see Kerns, R.D., **116** 302
Hirsch, I., see Tammpere, A., **116** 220
Ho, W.-H., see Shelton, D.L., **116** 8
Hruby, V.J., see King, T., **116** 276
Hu, S.-J., see Yang, R.-H., **116** 187
Hunt, S.P., see King, T., **116** 276
Hwang, M., Kang, Y.K., Kim, D.H., Referred pain pattern of the pronator quadratus muscle, **116** 238

Iannetti, G.D., see Baumgärtner, U., **116** 1
Iida, T., see Shimizu, I., **116** 96
Ikeda, M., see Takeda, M., **116** 375
Iyengar, S., see Goldstein, D.J., **116** 109

Jambrik, Z., Santarcangelo, E.L., Rudisch, T., Varga, A., Forster, T., Carli, G., Modulation of pain-induced endothelial dysfunction by hypnotisability, **116** 181
Järvenpää, S.K., see Sjögren, T., **116** 119
Jarvis, M.F., see Shimizu, I., **116** 96
Jensen, H.M., see Baad-Hansen, L., **116** 359

Kaasa, S., see Rakvåg, T.T., **116** 73
Kadoi, J., see Takeda, M., **116** 375
Kalso, E., see Hamunen, K., **116** 146
Kang, Y.K., see Hwang, M., **116** 238
Keffala, V.J., see Rippentrop, A.E., **116** 311
Kelly-Hayes, M., see Leveille, S.G., **116** 332
Kerns, R.D., Wagner, J., Rosenberg, R., Haythornthwaite, J., Caudill-Slosberg, M., Identification of subgroups of persons with chronic pain based on profiles on the pain stages of change questionnaire, **116** 302
Khasar, S.G., Green, P.G., Levine, J.D., Repeated sound stress enhances inflammatory pain in the rat, **116** 79
Kim, D.H., see Hwang, M., **116** 238
Kim, H.K., see Gao, X., **116** 62
King, T., Gardell, L.R., Wang, R., Vardanyan, A., Ossipov, M.H., Malan Jr., T.P., Vanderah, T.W., Hunt, S.P., Hruby, V.J., Lai, J., Porreca, F., Role of NK-1 neurotransmission in opioid-induced hyperalgesia, **116** 276
Klepstad, P., see Rakvåg, T.T., **116** 73
Krack, P., see Schulte-Mattler, W.J., **116** 167
Krokan, H.E., see Rakvåg, T.T., **116** 73
Kvam, T.-M., see Rakvåg, T.T., **116** 73

Lai, J., see King, T., **116** 276
Larsson, H., see Tammpere, A., **116** 220
Lee, T.C., see Goldstein, D.J., **116** 109
Leung, A.Y., Wallace, M.S., Schulteis, G., Yaksh, T.L., Qualitative and quantitative characterization of the thermal grill, **116** 26
Leveille, S.G., Zhang, Y., McMullen, W., Kelly-Hayes, M., Felson, D.T., Sex Differences in musculoskeletal pain in older adults, **116** 332
Levine, J.D., see Khasar, S.G., **116** 79
Lim, G., see Wang, S., **116** 87
Lindström, E., see Tammpere, A., **116** 220
Loong, Y., see Dyson, A., **116** 129
Lötsch, J., see Skarke, C., **116** 177
Lu, Y., see Goldstein, D.J., **116** 109
Luyten, P., Van Houdenhove, B., Pain: In search of a common language, **116** 170
Lynch, M.E., Clark, A.J., Beyond epistemology and ontology, the value of empathy and a relational approach in pain management, **116** 171

Malan Jr., T.P., see King, T., **116** 276
Mälkiä, E.A., see Sjögren, T., **116** 119
Malphurs, W., see Neubert, J.K., **116** 386
Mao, J., see Wang, S., **116** 87
Martyn, J.A.J., see Wang, S., **116** 87
Matsumoto, S., see Takeda, M., **116** 375
McMahon, S.B., see Cruz, C.D., **116** 411
McMullen, W., see Leveille, S.G., **116** 332
McQuay, H.J., see Moore, R.A., **116** 322
Meij, J.T.A., see Xie, W., **116** 243
Merskey, H., Response to Williamson et al., **116** 171
Moore, R.A., Edwards, J.E., McQuay, H.J., Acute pain: individual patient meta-analysis shows the impact of different ways of analysing and presenting results, **116** 322

Nagamine, K., see Shinoda, M., **116** 42
Nasu, M., see Takeda, M., **116** 375
Natura, G., von Banchet, G.S., Schaible, H.-G., Calcitonin gene-related peptide enhances TTX-resistant sodium currents in cultured dorsal root ganglion neurons from adult rats, **116** 194
Navez, M.L., see Woda, A., **116** 396
Neto, F.L., see Cruz, C.D., **116** 411
Neubert, J.K., Widmer, C.G., Malphurs, W., Rossi, H.L., Vierck Jr., C.J., Caudle, R.M., Use of a novel thermal operant behavioral assay for characterization of orofacial pain sensitivity, **116** 386
Neundörfer, B., see Gaul, C., **116** 407
Nissinen, K.J., see Sjögren, T., **116** 119

Obara, I., Przewlocki, R., Przewlocka, B., Spinal and local peripheral anti-allodynic activity of Ro64-6198 in neuropathic pain in the rat, **116** 17
Ojanen, M.T., see Sjögren, T., **116** 119
Onghena, P., see de Jong, J.R., **116** 264
Ossipov, M.H., see King, T., **116** 276
Ozaki, N., see Shinoda, M., **116** 42

Peacock, M., see Dyson, A., **116** 129
Perreault, M.J., see Alexander, G.M., **116** 213
Peters, M.L., see Roelofs, J., **116** 339
Picard, P., see Woda, A., **116** 396
Pionchon, P., see Woda, A., **116** 396
Pisanté, A., see Devor, M., **116** 289
Pons, J., see Shelton, D.L., **116** 8
Porreca, F., see King, T., **116** 276
Poulsen, H.F., see Baad-Hansen, L., **116** 359
Przewlocka, B., see Obara, I., **116** 17
Przewlocki, R., see Obara, I., **116** 17

Quintner, J.L., see Williamson, O.D., **116** 169

Raber, P., see Devor, M., **116** 289, 294
Raja, S.N., see Shimizu, I., **116** 96
Rakvåg, T.T., Klepstad, P., Baar, C., Kvam, T.-M., Dale, O., Kaasa, S., Krokan, H.E., Skorpen, F., The Val158Met polymorphism of the human catechol-*O*-methyltransferase (COMT) gene may influence morphine requirements in cancer pain patients, **116** 73

Riley III, J.L., see Hastie, B.A., **116** 227
Rippentrop, A.E., Altmaier, E.M., Chen, J.J., Found, E.M., Keffala, V.J., The relationship between religion/spirituality and physical health, mental health, and pain in a chronic pain population, **116** 311
Robinson, M.E., see Hastie, B.A., **116** 227
Roelofs, J., Peters, M.L., Deutz, J., Spijker, C., Vlaeyen, J.W.S., The Fear of Pain Questionnaire (FPQ): Further psychometric examination in a non-clinical sample, **116** 339
Rosenberg, R., see Kerns, R.D., **116** 302
Rosenthal, A., see Shelton, D.L., **116** 8
Rossi, H.L., see Neubert, J.K., **116** 386
Rudisch, T., see Jambrik, Z., **116** 181
Ruijgrok, J., see de Jong, J.R., **116** 264
Rupert, R.L., see Song, X.-J., **116** 169

Santarcangelo, E.L., see Jambrik, Z., **116** 181
Schäfers, M., see Zelenka, M., **116** 257
Schaible, H.-G., see Natura, G., **116** 194
Schulte-Mattler, W.J., Krack, P., Response to Gupta VK: Botulinum toxin type A for chronic tension-type headache: Fact versus fiction, **116** 167
Schulte, H., Sollevi, A., Segerdahl, M., Dose-dependent effects of morphine on experimentally induced cutaneous pain in healthy volunteers, **116** 366
Schulteis, G., see Leung, A.Y., **116** 26
Schwartzman, R.J., see Alexander, G.M., **116** 213
Segerdahl, M., see Schulte, H., **116** 366
Shelton, D.L., Zeller, J., Ho, W.-H., Pons, J., Rosenthal, A., Nerve growth factor mediates hyperalgesia and cachexia in auto-immune arthritis, **116** 8
Shimizu, I., Iida, T., Guan, Y., Zhao, C., Raja, S.N., Jarvis, M.F., Cockayne, D.A., Caterina, M.J., Enhanced thermal avoidance in mice lacking the ATP receptor $P2X_3$, **116** 96
Shinoda, M., Ozaki, N., Asai, H., Nagamine, K., Sugiura, Y., Changes in P2X3 receptor expression in the trigeminal ganglion following mono-arthritis of the temporomandibular joint in rats, **116** 42
Shir, Y., Comment on Wang et al.: Thiamine, pyridoxine, cyanocobalamin and their combination inhibit thermal, but not mechanical hyperalgesia in rats with primary sensory neuron injury (Pain 2005;114:266–77), **116** 168
Sjögren, T., Nissinen, K.J., Järvenpää, S.K., Ojanen, M.T., Vanharanta, H., Mälkiä, E.A., Effects of a workplace physical exercise intervention on the intensity of headache and neck and shoulder symptoms and upper extremity muscular strength of office workers: A cluster randomized controlled cross-over trial, **116** 119
Skarke, C., Geisslinger, G., Lötsch, J., Is morphine-3-glucuronide of therapeutic relevance?, **116** 177
Skorpen, F., see Rakvåg, T.T., **116** 73
Sollevi, A., see Schulte, H., **116** 366
Sommer, C., see Zelenka, M., **116** 257
Song, X.-J., Wang, Z.-B., Gan, Q., Rupert, R.L., Zeng, Y.-M., Response to Dr Yoram Shir, **116** 169
Spijker, C., see Roelofs, J., **116** 339
Staud, R., see Hastie, B.A., **116** 227
Strong, J.A., see Xie, W., **116** 243
Sugiura, Y., see Shinoda, M., **116** 42
Sung, B., see Wang, S., **116** 87
Svensson, P., see Baad-Hansen, L., **116** 359

Takeda, M., Tanimoto, T., Nasu, M., Ikeda, M., Kadoi, J., Matsumoto, S., Activation of NK1 receptor of trigeminal root ganglion via substance P paracrine mechanism contributes to the mechanical allodynia in the temporomandibular joint inflammation in rats, **116** 375
Tammpere, A., Brusberg, M., Axenborg, J., Hirsch, I., Larsson, H., Lindström, E., Evaluation of pseudo-affective responses to noxious colorectal distension in rats by manometric recordings, **116** 220
Tanimoto, T., see Takeda, M., **116** 375
Téa, S.H., see Bodéré, C., **116** 33
Tomáš, R., Haninec, P., Dorsal root entry zone (DREZ) localization using direct spinal cord stimulation can improve results of the DREZ thermocoagulation procedure for intractable pain relief, **116** 159
Tracey, I., *Functional* connectivity and pain: How *effectively* connected is your brain?, **116** 173
Treede, R.-D., see Baumgärtner, U., **116** 1
Trovato, A.E., see Costa, B., **116** 52
Truchon, M., Côté, D., Predictive validity of the Chronic Pain Coping Inventory in subacute low back pain, **116** 205
Tubert-Jeannin, S., see Woda, A., **116** 396

Van Damme, S., see Crombez, G., **116** 4
van Hilten, J.J., see Alexander, G.M., **116** 213
Van Houdenhove, B., see Luyten, P., **116** 170
van Rijn, M.A., see Alexander, G.M., **116** 213
Vanderah, T.W., see King, T., **116** 276
Vanharanta, H., see Sjögren, T., **116** 119
Vardanyan, A., see King, T., **116** 276
Varga, A., see Jambrik, Z., **116** 181
Vierck Jr., C.J., see Neubert, J.K., **116** 386
Vlaeyen, J.W.S., see de Jong, J.R., **116** 264
Vlaeyen, J.W.S., see Roelofs, J., **116** 339
von Banchet, G.S., see Natura, G., **116** 194

Wagner, J., see Kerns, R.D., **116** 302
Wallace, M.S., see Leung, A.Y., **116** 26
Wang, R., see King, T., **116** 276
Wang, S., Lim, G., Yang, L., Zeng, Q., Sung, B., Martyn, J.A.J., Mao, J., A rat model of unilateral hindpaw burn injury: Slowly developing rightwards shift of the morphine dose–response curve, **116** 87
Wang, Z.-B., see Song, X.-J., **116** 169
Widmer, C.G., see Neubert, J.K., **116** 386
Williamson, O.D., Buchanan, D.A., Quintner, J.L., Cohen, M.L., Pain beyond monism and dualism, **116** 169
Winterholler, M., see Gaul, C., **116** 407
Woda, A., see Bodéré, C., **116** 33
Woda, A., Tubert-Jeannin, S., Bouhassira, D., Attal, N., Fleiter, B., Goulet, J.-P., Gremeau-Richard, C., Navez, M.L., Picard, P., Pionchon, P., Albuisson, E., Towards a new taxonomy of idiopathic orofacial pain, **116** 396

Xie, W., Strong, J.A., Meij, J.T.A., Zhang, J.-M., Yu, L., Neuropathic pain: Early spontaneous afferent activity is the trigger, **116** 243
Xing, J.-L., see Yang, R.-H., **116** 187
Xu, X.-J., see Erichsen, H.K., **116** 347

Yakir, B., see Devor, M., **116** 289
Yaksh, T.L., see Leung, A.Y., **116** 26
Yang, L., see Wang, S., **116** 87
Yang, R.-H., Xing, J.-L., Duan, J.-H., Hu, S.-J., Effects of gabapentin on spontaneous discharges and subthreshold membrane potential oscillation of type A neurons in injured DRG, **116** 187
Yaqoob, M., see Dyson, A., **116** 129
Yu, L., see Xie, W., **116** 243

Zarini, E., see Costa, B., **116** 52
Zelenka, M., Schäfers, M., Sommer, C., Intraneural injection of interleukin-1β and tumor necrosis factor-alpha into rat sciatic nerve at physiological doses induces signs of neuropathic pain, **116** 257
Zeller, J., see Shelton, D.L., **116** 8
Zeng, Q., see Wang, S., **116** 87
Zeng, Y.-M., see Song, X.-J., **116** 169
Zhang, J.-M., see Xie, W., **116** 243
Zhang, Y., see Leveille, S.G., **116** 332
Zhao, C., see Shimizu, I., **116** 96

PAIN

Pain 116 (2005) 423–428

www.elsevier.com/locate/pain

Subject Index to Volume 116 (2005)

Acute pain
Acute pain: individual patient meta-analysis shows the impact of different ways of analysing and presenting results, **116**, 322
acute pain
Modulation of pain-induced endothelial dysfunction by hypnotisability, **116**, 181
Adrenal medulla
Repeated sound stress enhances inflammatory pain in the rat, **116**, 79
Aged
Sex Differences in musculoskeletal pain in older adults, **116**, 332
Alfentanil
Dose-dependent effects of morphine on experimentally induced cutaneous pain in healthy volunteers, **116**, 366
Allodynia
A rat model of unilateral hindpaw burn injury: Slowly developing rightwards shift of the morphine dose–response curve, **116**, 87
Allodynia
Comparative actions of the opioid analgesics morphine, methadone and codeine in rat models of peripheral and central neuropathic pain, **116**, 347
Allodynia
Dynamic mechanical allodynia in neuropathic pain, **116**, 164
Allodynia
Enhancement of NMDA receptor phosphorylation of the spinal dorsal horn and nucleus gracilis neurons in neuropathic rats, **116**, 62
Allodynia
Neuropathic pain: Early spontaneous afferent activity is the trigger, **116**, 243
Analgesia
A rat model of unilateral hindpaw burn injury: Slowly developing rightwards shift of the morphine dose–response curve, **116**, 87
analgesia
Modulation of pain-induced endothelial dysfunction by hypnotisability, **116**, 181
Analgesics
A systematic review of trial methodology, using the placebo groups of randomized controlled trials in paediatric postoperative pain, **116**, 146
Antidepressant
Duloxetine vs. placebo in patients with painful diabetic neuropathy, **116**, 109
Arthritis
Changes in P2X3 receptor expression in the trigeminal ganglion following monoarthritis of the temporomandibular joint in rats, **116**, 42
Arthritis
Nerve growth factor mediates hyperalgesia and cachexia in autoimmune arthritis, **116**, 8
Arthritis
Sex Differences in musculoskeletal pain in older adults, **116**, 332
Attention
Hypervigilance to pain: An experimental and clinical analysis, **116**, 4
Autotomy
Heritability of symptoms in the neuroma model of neuropathic pain: Replication and complementation analysis, **116**, 294

doi:10.1016/S0304-3959(05)00314-3

Autotomy
pain1: A neuropathic pain QTL on mouse chromosome 15 in a C3H × C58 backcross, **116**, 289
Brachial plexus
Dorsal root entry zone (DREZ) localization using direct spinal cord stimulation can improve results of the DREZ thermocoagulation procedure for intractable pain relief, **116**, 159
Bradykinin
Repeated sound stress enhances inflammatory pain in the rat, **116**, 79
Burn injury
A rat model of unilateral hindpaw burn injury: Slowly developing rightwards shift of the morphine dose–response curve, **116**, 87
Burning mouth syndrome
Towards a new taxonomy of idiopathic orofacial pain, **116**, 396
Cachexia
Nerve growth factor mediates hyperalgesia and cachexia in autoimmune arthritis, **116**, 8
Cannabinoid
Antihyperalgesic properties of the cannabinoid CT-3 in chronic neuropathic and inflammatory pain states in the rat, **116**, 129
Cannabinoid
Effect of the cannabinoid CB_1 receptor antagonist, SR141716, on nociceptive response and nerve demyelination in rodents with chronic constriction injury of the sciatic nerve, **116**, 52
cardiac risk
Modulation of pain-induced endothelial dysfunction by hypnotisability, **116**, 181
CB1 receptor
Antihyperalgesic properties of the cannabinoid CT-3 in chronic neuropathic and inflammatory pain states in the rat, **116**, 129
Central pain
Qualitative and quantitative characterization of the thermal grill, **116**, 26
Central sensitization
Dose-dependent effects of morphine on experimentally induced cutaneous pain in healthy volunteers, **116**, 366
Central sensitization
Enhancement of NMDA receptor phosphorylation of the spinal dorsal horn and nucleus gracilis neurons in neuropathic rats, **116**, 62
CFA
Inhibition of ERK phosphorylation decreases nociceptive behaviour in monoarthritic rats, **116**, 411
CGRP
Calcitonin gene-related peptide enhances TTX-resistant sodium currents in cultured dorsal root ganglion neurons from adult rats, **116**, 194
CGRP receptor
Calcitonin gene-related peptide enhances TTX-resistant sodium currents in cultured dorsal root ganglion neurons from adult rats, **116**, 194
Children
A systematic review of trial methodology, using the placebo groups of randomized controlled trials in paediatric postoperative pain, **116**, 146

Chronic constriction injury
Comparative actions of the opioid analgesics morphine, methadone and codeine in rat models of peripheral and central neuropathic pain, **116**, 347
Chronic constriction injury
Neuropathic pain: Early spontaneous afferent activity is the trigger, **116**, 243
Chronic pain
Heritability of symptoms in the neuroma model of neuropathic pain: Replication and complementation analysis, **116**, 294
Chronic pain
The relationship between religion/spirituality and physical health, mental health, and pain in a chronic pain population, **116**, 311
Classification
Towards a new taxonomy of idiopathic orofacial pain, **116**, 396
Cluster analysis
Cluster analysis of multiple experimental pain modalities, **116**, 227
Colorectal distension
Evaluation of pseudo-affective responses to noxious colorectal distension in rats by manometric recordings, **116**, 220
Complete Freund's adjuvant
Changes in P2X3 receptor expression in the trigeminal ganglion following monoarthritis of the temporomandibular joint in rats, **116**, 42
Complex regional pain syndrome type I
Reduction of pain-related fear in complex regional pain syndrome type I: The application of graded exposure in vivo, **116**, 264
CR10
Effects of a workplace physical exercise intervention on the intensity of headache and neck and shoulder symptoms and upper extremity muscular strength of office workers: A cluster randomized controlled cross-over trial, **116**, 119
CT-3
Antihyperalgesic properties of the cannabinoid CT-3 in chronic neuropathic and inflammatory pain states in the rat, **116**, 129
Cymbalta®
Duloxetine vs. placebo in patients with painful diabetic neuropathy, **116**, 109
Cytokines
Intraneural injection of interleukin-1β and tumor necrosis factor-alpha into rat sciatic nerve at physiological doses induces signs of neuropathic pain, **116**, 257
Deafferentation pain
Dorsal root entry zone (DREZ) localization using direct spinal cord stimulation can improve results of the DREZ thermocoagulation procedure for intractable pain relief, **116**, 159
Diabetic neuropathy
Duloxetine vs. placebo in patients with painful diabetic neuropathy, **116**, 109
Diffuse noxious inhibitory controls
Lack of sex differences in modulation of experimental intraoral pain by diffuse noxious inhibitory controls (DNIC), **116**, 359
Dorsal root entry zone
Dorsal root entry zone (DREZ) localization using direct spinal cord stimulation can improve results of the DREZ thermocoagulation procedure for intractable pain relief, **116**, 159
Dorsal root ganglion
Effects of gabapentin on spontaneous discharges and subthreshold membrane potential oscillation of type A neurons in injured DRG, **116**, 187
DRG neurons
Calcitonin gene-related peptide enhances TTX-resistant sodium currents in cultured dorsal root ganglion neurons from adult rats, **116**, 194
Duloxetine
Duloxetine vs. placebo in patients with painful diabetic neuropathy, **116**, 109
Ectopic activity
Neuropathic pain: Early spontaneous afferent activity is the trigger, **116**, 243
Efficacy
Duloxetine vs. placebo in patients with painful diabetic neuropathy, **116**, 109
Electrical stimulation
Dose-dependent effects of morphine on experimentally induced cutaneous pain in healthy volunteers, **116**, 366
Electromyography
Activity of masticatory muscles in subjects with different orofacial pain conditions, **116**, 33
Electromyography
Muscle fiber conduction velocity of the upper trapezius muscle during dynamic contraction of the upper limb in patients with chronic neck pain, **116**, 138
endothelial function
Modulation of pain-induced endothelial dysfunction by hypnotisability, **116**, 181
Epidemiology
Sex Differences in musculoskeletal pain in older adults, **116**, 332
Epinephrine
Repeated sound stress enhances inflammatory pain in the rat, **116**, 79
ERK
Inhibition of ERK phosphorylation decreases nociceptive behaviour in monoarthritic rats, **116**, 411
Evoked potential
Dorsal root entry zone (DREZ) localization using direct spinal cord stimulation can improve results of the DREZ thermocoagulation procedure for intractable pain relief, **116**, 159
Exercise
Effects of a workplace physical exercise intervention on the intensity of headache and neck and shoulder symptoms and upper extremity muscular strength of office workers: A cluster randomized controlled cross-over trial, **116**, 119
Experimental pain
Cluster analysis of multiple experimental pain modalities, **116**, 227
Factor analysis
Cluster analysis of multiple experimental pain modalities, **116**, 227
Factor structure
The Fear of Pain Questionnaire (FPQ): Further psychometric examination in a non-clinical sample, **116**, 339
Fear
Hypervigilance to pain: An experimental and clinical analysis, **116**, 4
Fear of pain
The Fear of Pain Questionnaire (FPQ): Further psychometric examination in a non-clinical sample, **116**, 339
Female
Sex Differences in musculoskeletal pain in older adults, **116**, 332
Fentanyl
Evaluation of pseudo-affective responses to noxious colorectal distension in rats by manometric recordings, **116**, 220
Fibromyalgia
Repeated sound stress enhances inflammatory pain in the rat, **116**, 79
FPQ
The Fear of Pain Questionnaire (FPQ): Further psychometric examination in a non-clinical sample, **116**, 339
Gabapentin
Effects of gabapentin on spontaneous discharges and subthreshold membrane potential oscillation of type A neurons in injured DRG, **116**, 187
Gender
Lack of sex differences in modulation of experimental intraoral pain by diffuse noxious inhibitory controls (DNIC), **116**, 359

Genetic variation
The Val158Met polymorphism of the human catechol-*O*-methyltransferase (COMT) gene may influence morphine requirements in cancer pain patients, **116**, 73
Genotyping
The Val158Met polymorphism of the human catechol-*O*-methyltransferase (COMT) gene may influence morphine requirements in cancer pain patients, **116**, 73
Glutamate receptor
Enhancement of NMDA receptor phosphorylation of the spinal dorsal horn and nucleus gracilis neurons in neuropathic rats, **116**, 62
Graded exposure in vivo
Reduction of pain-related fear in complex regional pain syndrome type I: The application of graded exposure in vivo, **116**, 264
Headache
Effects of a workplace physical exercise intervention on the intensity of headache and neck and shoulder symptoms and upper extremity muscular strength of office workers: A cluster randomized controlled cross-over trial, **116**, 119
Heritability
Heritability of symptoms in the neuroma model of neuropathic pain: Replication and complementation analysis, **116**, 294
Hyperalgesia
A rat model of unilateral hindpaw burn injury: Slowly developing rightwards shift of the morphine dose–response curve, **116**, 87
Hyperalgesia
Antihyperalgesic properties of the cannabinoid CT-3 in chronic neuropathic and inflammatory pain states in the rat, **116**, 129
Hyperalgesia
Comparative actions of the opioid analgesics morphine, methadone and codeine in rat models of peripheral and central neuropathic pain, **116**, 347
Hyperalgesia
Intraneural injection of interleukin-1β and tumor necrosis factor-alpha into rat sciatic nerve at physiological doses induces signs of neuropathic pain, **116**, 257
Hyperalgesia
Nerve growth factor mediates hyperalgesia and cachexia in autoimmune arthritis, **116**, 8
Hyperalgesia
Neuropathic pain: Early spontaneous afferent activity is the trigger, **116**, 243
Hyperalgesia
Repeated sound stress enhances inflammatory pain in the rat, **116**, 79
Hypertonic saline
Referred pain pattern of the pronator quadratus muscle, **116**, 238
Hypervigilance
Hypervigilance to pain: An experimental and clinical analysis, **116**, 4
hypnotisability
Modulation of pain-induced endothelial dysfunction by hypnotisability, **116**, 181
Iatrogenic meningitis
Iatrogenic (para-) spinal abscesses and meningitis following injection therapy for low back pain, **116**, 407
Idiopathic orofacial pain
Towards a new taxonomy of idiopathic orofacial pain, **116**, 396
Inflammation
Activation of NK1 receptor of trigeminal root ganglion via substance P paracrine mechanism contributes to the mechanical allodynia in the temporomandibular joint inflammation in rats, **116**, 375
Inflammatory pain
Role of NK-1 neurotransmission in opioid-induced hyperalgesia, **116**, 276
Interleukin-1β
Intraneural injection of interleukin-1β and tumor necrosis factor-alpha into rat sciatic nerve at physiological doses induces signs of neuropathic pain, **116**, 257
Intraoperative recording
Dorsal root entry zone (DREZ) localization using direct spinal cord stimulation can improve results of the DREZ thermocoagulation procedure for intractable pain relief, **116**, 159
Iontophoresis
Activation of NK1 receptor of trigeminal root ganglion via substance P paracrine mechanism contributes to the mechanical allodynia in the temporomandibular joint inflammation in rats, **116**, 375
Jaw-jerk reflex
Activity of masticatory muscles in subjects with different orofacial pain conditions, **116**, 33
Low back pain
Iatrogenic (para-) spinal abscesses and meningitis following injection therapy for low back pain, **116**, 407
MAPK
Inhibition of ERK phosphorylation decreases nociceptive behaviour in monoarthritic rats, **116**, 411
Masticatory muscle
Activity of masticatory muscles in subjects with different orofacial pain conditions, **116**, 33
Meta-analysis
Acute pain: individual patient meta-analysis shows the impact of different ways of analysing and presenting results, **116**, 322
Monoarthritis
Inhibition of ERK phosphorylation decreases nociceptive behaviour in monoarthritic rats, **116**, 411
Morphine
A rat model of unilateral hindpaw burn injury: Slowly developing rightwards shift of the morphine dose–response curve, **116**, 87
Morphine
Dose-dependent effects of morphine on experimentally induced cutaneous pain in healthy volunteers, **116**, 366
Morphine
Is morphine-3-glucuronide of therapeutic relevance?, **116**, 177
Morphine-3-glucuronide
Is morphine-3-glucuronide of therapeutic relevance?, **116**, 177
μ-Opioid receptor
A rat model of unilateral hindpaw burn injury: Slowly developing rightwards shift of the morphine dose–response curve, **116**, 87
Muscle fiber conduction velocity
Muscle fiber conduction velocity of the upper trapezius muscle during dynamic contraction of the upper limb in patients with chronic neck pain, **116**, 138
Muscle pain
Activity of masticatory muscles in subjects with different orofacial pain conditions, **116**, 33
Musculoskeletal
Sex Differences in musculoskeletal pain in older adults, **116**, 332
Myofascial trigger point
Referred pain pattern of the pronator quadratus muscle, **116**, 238
Neck pain
Muscle fiber conduction velocity of the upper trapezius muscle during dynamic contraction of the upper limb in patients with chronic neck pain, **116**, 138
Neck symptoms
Effects of a workplace physical exercise intervention on the intensity of headache and neck and shoulder symptoms and upper extremity muscular strength of office workers: A cluster randomized controlled cross-over trial, **116**, 119
Nerve demyelination
Effect of the cannabinoid CB_1 receptor antagonist, SR141716, on nociceptive response and nerve demyelination in rodents with chronic constriction injury of the sciatic nerve, **116**, 52
Nerve growth factor
Nerve growth factor mediates hyperalgesia and cachexia in autoimmune arthritis, **116**, 8

Neuroma
Heritability of symptoms in the neuroma model of neuropathic pain: Replication and complementation analysis, **116**, 294
Neuropathic pain
Dynamic mechanical allodynia in neuropathic pain, **116**, 164
Neuropathic pain
Effect of the cannabinoid CB_1 receptor antagonist, SR141716, on nociceptive response and nerve demyelination in rodents with chronic constriction injury of the sciatic nerve, **116**, 52
Neuropathic pain
Effects of gabapentin on spontaneous discharges and subthreshold membrane potential oscillation of type A neurons in injured DRG, **116**, 187
Neuropathic pain
Enhancement of NMDA receptor phosphorylation of the spinal dorsal horn and nucleus gracilis neurons in neuropathic rats, **116**, 62
Neuropathic pain
Heritability of symptoms in the neuroma model of neuropathic pain: Replication and complementation analysis, **116**, 294
Neuropathic pain
Neuropathic pain: Early spontaneous afferent activity is the trigger, **116**, 243
Neuropathic Pain
pain1: A neuropathic pain QTL on mouse chromosome 15 in a C3H × C58 backcross, **116**, 289
Neuropathic pain
Qualitative and quantitative characterization of the thermal grill, **116**, 26
Neuropathic pain
Spinal and local peripheral antiallodynic activity of Ro64-6198 in neuropathic pain in the rat, **116**, 17
Nitric oxide system
Effect of the cannabinoid CB_1 receptor antagonist, SR141716, on nociceptive response and nerve demyelination in rodents with chronic constriction injury of the sciatic nerve, **116**, 52
NK1 receptor
Activation of NK1 receptor of trigeminal root ganglion via substance P paracrine mechanism contributes to the mechanical allodynia in the temporomandibular joint inflammation in rats, **116**, 375
NK-1 receptor
Role of NK-1 neurotransmission in opioid-induced hyperalgesia, **116**, 276
Nociceptin/orphanin FQ
Spinal and local peripheral antiallodynic activity of Ro64-6198 in neuropathic pain in the rat, **116**, 17
Obesity
Sex Differences in musculoskeletal pain in older adults, **116**, 332
Occupational health
Effects of a workplace physical exercise intervention on the intensity of headache and neck and shoulder symptoms and upper extremity muscular strength of office workers: A cluster randomized controlled cross-over trial, **116**, 119
Operant behavior
Use of a novel thermal operant behavioral assay for characterization of orofacial pain sensitivity, **116**, 386
Opioid
Comparative actions of the opioid analgesics morphine, methadone and codeine in rat models of peripheral and central neuropathic pain, **116**, 347
Opioid
The Val158Met polymorphism of the human catechol-*O*-methyltransferase (COMT) gene may influence morphine requirements in cancer pain patients, **116**, 73
Opioid effects
Is morphine-3-glucuronide of therapeutic relevance?, **116**, 177
Opioid-induced hyperalgesia
Role of NK-1 neurotransmission in opioid-induced hyperalgesia, **116**, 276
Opioid metabolites
Is morphine-3-glucuronide of therapeutic relevance?, **116**, 177
Opioids
Dose-dependent effects of morphine on experimentally induced cutaneous pain in healthy volunteers, **116**, 366
ORL1 receptor
Spinal and local peripheral antiallodynic activity of Ro64-6198 in neuropathic pain in the rat, **116**, 17
Orofacial
Use of a novel thermal operant behavioral assay for characterization of orofacial pain sensitivity, **116**, 386
Orofacial pain
Activity of masticatory muscles in subjects with different orofacial pain conditions, **116**, 33
Orofacial pain
Changes in P2X3 receptor expression in the trigeminal ganglion following monoarthritis of the temporomandibular joint in rats, **116**, 42
Orofacial pain
Towards a new taxonomy of idiopathic orofacial pain, **116**, 396
Outcomes
Acute pain: individual patient meta-analysis shows the impact of different ways of analysing and presenting results, **116**, 322
P2X receptors
Changes in P2X3 receptor expression in the trigeminal ganglion following monoarthritis of the temporomandibular joint in rats, **116**, 42
$P2X_2$
Enhanced thermal avoidance in mice lacking the ATP receptor $P2X_3$, **116**, 96
$P2X_3$
Enhanced thermal avoidance in mice lacking the ATP receptor $P2X_3$, **116**, 96
p38 MAPK
Intraneural injection of interleukin-1β and tumor necrosis factor-alpha into rat sciatic nerve at physiological doses induces signs of neuropathic pain, **116**, 257
Paediatric
A systematic review of trial methodology, using the placebo groups of randomized controlled trials in paediatric postoperative pain, **116**, 146
Pain
Duloxetine vs. placebo in patients with painful diabetic neuropathy, **116**, 109
Pain
Hypervigilance to pain: An experimental and clinical analysis, **116**, 4
Pain
Lack of sex differences in modulation of experimental intraoral pain by diffuse noxious inhibitory controls (DNIC), **116**, 359
Pain
Repeated sound stress enhances inflammatory pain in the rat, **116**, 79
Pain
Sex Differences in musculoskeletal pain in older adults, **116**, 332
Pain
The Val158Met polymorphism of the human catechol-*O*-methyltransferase (COMT) gene may influence morphine requirements in cancer pain patients, **116**, 73
Pain
Use of a novel thermal operant behavioral assay for characterization of orofacial pain sensitivity, **116**, 386
Pain Gene
pain1: A neuropathic pain QTL on mouse chromosome 15 in a C3H × C58 backcross, **116**, 289
Pain genetics
Heritability of symptoms in the neuroma model of neuropathic pain: Replication and complementation analysis, **116**, 294

Pain model
Qualitative and quantitative characterization of the thermal grill, **116**, 26
Pain modulation
Heritability of symptoms in the neuroma model of neuropathic pain: Replication and complementation analysis, **116**, 294
Pain therapy
Iatrogenic (para-) spinal abscesses and meningitis following injection therapy for low back pain, **116**, 407
Pain threshold
Cluster analysis of multiple experimental pain modalities, **116**, 227
Pain-related fear
Reduction of pain-related fear in complex regional pain syndrome type I: The application of graded exposure in vivo, **116**, 264
Paracrine
Activation of NK1 receptor of trigeminal root ganglion via substance P paracrine mechanism contributes to the mechanical allodynia in the temporomandibular joint inflammation in rats, **116**, 375
Placebo
A systematic review of trial methodology, using the placebo groups of randomized controlled trials in paediatric postoperative pain, **116**, 146
Postoperative pain
A systematic review of trial methodology, using the placebo groups of randomized controlled trials in paediatric postoperative pain, **116**, 146
Projection neurons
Enhancement of NMDA receptor phosphorylation of the spinal dorsal horn and nucleus gracilis neurons in neuropathic rats, **116**, 62
Pronator quadratus
Referred pain pattern of the pronator quadratus muscle, **116**, 238
Protein kinase
Enhancement of NMDA receptor phosphorylation of the spinal dorsal horn and nucleus gracilis neurons in neuropathic rats, **116**, 62
Protein kinase A
Calcitonin gene-related peptide enhances TTX-resistant sodium currents in cultured dorsal root ganglion neurons from adult rats, **116**, 194
Protein kinase C
Calcitonin gene-related peptide enhances TTX-resistant sodium currents in cultured dorsal root ganglion neurons from adult rats, **116**, 194
Protein kinase Cγ
A rat model of unilateral hindpaw burn injury: Slowly developing rightwards shift of the morphine dose–response curve, **116**, 87
Psychophysics
Cluster analysis of multiple experimental pain modalities, **116**, 227
QTL
pain1: A neuropathic pain QTL on mouse chromosome 15 in a C3H × C58 backcross, **116**, 289
Quantitative sensory testing
Qualitative and quantitative characterization of the thermal grill, **116**, 26
Rat
Evaluation of pseudo-affective responses to noxious colorectal distension in rats by manometric recordings, **116**, 220
Referred pain
Referred pain pattern of the pronator quadratus muscle, **116**, 238
Refractory period
Dynamic mechanical allodynia in neuropathic pain, **116**, 164
Reliability
The Fear of Pain Questionnaire (FPQ): Further psychometric examination in a non-clinical sample, **116**, 339
Religiosity
The relationship between religion/spirituality and physical health, mental health, and pain in a chronic pain population, **116**, 311
Resting activity
Activity of masticatory muscles in subjects with different orofacial pain conditions, **116**, 33
Ro64-6198
Spinal and local peripheral antiallodynic activity of Ro64-6198 in neuropathic pain in the rat, **116**, 17
Safety/tolerability
Duloxetine vs. placebo in patients with painful diabetic neuropathy, **116**, 109
Sex
Lack of sex differences in modulation of experimental intraoral pain by diffuse noxious inhibitory controls (DNIC), **116**, 359
Sex differences
Sex Differences in musculoskeletal pain in older adults, **116**, 332
Shoulder symptoms
Effects of a workplace physical exercise intervention on the intensity of headache and neck and shoulder symptoms and upper extremity muscular strength of office workers: A cluster randomized controlled crossover trial, **116**, 119
Skin burn injury
Dose-dependent effects of morphine on experimentally induced cutaneous pain in healthy volunteers, **116**, 366
Spared nerve injury
Comparative actions of the opioid analgesics morphine, methadone and codeine in rat models of peripheral and central neuropathic pain, **116**, 347
Spared nerve injury
Neuropathic pain: Early spontaneous afferent activity is the trigger, **116**, 243
Spinal abscess
Iatrogenic (para-) spinal abscesses and meningitis following injection therapy for low back pain, **116**, 407
Spinal cord
Inhibition of ERK phosphorylation decreases nociceptive behaviour in monoarthritic rats, **116**, 411
Spinal cord injury
Comparative actions of the opioid analgesics morphine, methadone and codeine in rat models of peripheral and central neuropathic pain, **116**, 347
Spirituality
The relationship between religion/spirituality and physical health, mental health, and pain in a chronic pain population, **116**, 311
Spontaneous discharge
Effects of gabapentin on spontaneous discharges and subthreshold membrane potential oscillation of type A neurons in injured DRG, **116**, 187
SR141716
Effect of the cannabinoid CB_1 receptor antagonist, SR141716, on nociceptive response and nerve demyelination in rodents with chronic constriction injury of the sciatic nerve, **116**, 52
Stomatodynia
Towards a new taxonomy of idiopathic orofacial pain, **116**, 396
Substance P
Activation of NK1 receptor of trigeminal root ganglion via substance P paracrine mechanism contributes to the mechanical allodynia in the temporomandibular joint inflammation in rats, **116**, 375
Substance P
Role of NK-1 neurotransmission in opioid-induced hyperalgesia, **116**, 276
Subthreshold membrane potential oscillation
Effects of gabapentin on spontaneous discharges and subthreshold membrane potential oscillation of type A neurons in injured DRG, **116**, 187
Summation
Cluster analysis of multiple experimental pain modalities, **116**, 227
Taxonomy
Towards a new taxonomy of idiopathic orofacial pain, **116**, 396
Temperature
Enhanced thermal avoidance in mice lacking the ATP receptor $P2X_3$, **116**, 96

Temporal
Cluster analysis of multiple experimental pain modalities, **116**, 227
Temporomandibular joint
Changes in P2X3 receptor expression in the trigeminal ganglion following monoarthritis of the temporomandibular joint in rats, **116**, 42
Thermal grill illusion
Qualitative and quantitative characterization of the thermal grill, **116**, 26
Thermal sensitivity
Use of a novel thermal operant behavioral assay for characterization of orofacial pain sensitivity, **116**, 386
Thermosensation
Enhanced thermal avoidance in mice lacking the ATP receptor $P2X_3$, **116**, 96
Trigeminal ganglia
Changes in P2X3 receptor expression in the trigeminal ganglion following monoarthritis of the temporomandibular joint in rats, **116**, 42
Trigeminal root ganglion
Activation of NK1 receptor of trigeminal root ganglion via substance P paracrine mechanism contributes to the mechanical allodynia in the temporomandibular joint inflammation in rats, **116**, 375
TRPV1
Enhanced thermal avoidance in mice lacking the ATP receptor $P2X_3$, **116**, 96
TTX-R Na^+ current
Calcitonin gene-related peptide enhances TTX-resistant sodium currents in cultured dorsal root ganglion neurons from adult rats, **116**, 194
Tumor necrosis factor alpha
Effect of the cannabinoid CB_1 receptor antagonist, SR141716, on nociceptive response and nerve demyelination in rodents with chronic constriction injury of the sciatic nerve, **116**, 52
Tumor necrosis factor-alpha
Intraneural injection of interleukin-1β and tumor necrosis factor-alpha into rat sciatic nerve at physiological doses induces signs of neuropathic pain, **116**, 257
Upper trapezius muscle
Muscle fiber conduction velocity of the upper trapezius muscle during dynamic contraction of the upper limb in patients with chronic neck pain, **116**, 138
Validity
The Fear of Pain Questionnaire (FPQ): Further psychometric examination in a non-clinical sample, **116**, 339
Vigilance
Hypervigilance to pain: An experimental and clinical analysis, **116**, 4
Visceral pain
Evaluation of pseudo-affective responses to noxious colorectal distension in rats by manometric recordings, **116**, 220
Visceromotor response
Evaluation of pseudo-affective responses to noxious colorectal distension in rats by manometric recordings, **116**, 220
Windup
Dynamic mechanical allodynia in neuropathic pain, **116**, 164